



केन्द्रीय विद्यालय ३ ई. एम. ई सेंटर बैरागढ़. (भोपाल)

KENDRIYA VIDYALAYA 3 EME CENTRE BAIRAGARH (BHOPAL)

पिनकोड PIN CODE - 462030

☎ 0755 - 2640347

Affiliation No. - 1000010

School Code - 54072


Web Site: www.bairagarh.kvs.ac.in E-mail: principalkvbrgh@gmail.com

फा. /केवि/बैरा/2021-22/

दिनांक:-25/06/2021

Self Certification

This is to certify that Kendriya Vidyalaya 3 EME Centre Bairagarh is affiliated to CBSE as per KVS and CBSE norms and now further extension is required from year 2022 onwards.


B. K. Bachle 25.6.21

Principal

Kendriya Vidyalaya Bairagarh

प्राचार्य / Principal
केन्द्रीय विद्यालय / Kendriya Vidyalaya
बैरागढ़ भोपाल / Bairagarh Bhopal
पिन - ४६२०३१ / PIN - 462031



केंद्रीय विद्यालय ३ ई. एम. ई सेंटर बैरागढ़. (भोपाल)

KENDRIYA VIDYALAYA 3 EME CENTRE BAIRAGARH (BHOPAL)

पिनकोड PIN CODE - 462030

☎ 0755 - 2640347

Affiliation No. -1000010

School Code - 54072

Web Site: www.bairagarh.kvs.ac.in E-mail: principalkvbrgh@gmail.com

फा./केवि/बैरा/2021-22/

दिनांक:-25/06/2021

RECOGNITION UNDER RTE

This is to certify that Kendriya Vidyalaya 3 EME Centre Bairagarh is giving admissions and following all the RTE norms as per instructions of KVS New Delhi.


B.K. Bachtel

25.6.21

Principal

Kendriya Vidyalaya Bairagarh
प्रचारिका
केन्द्रीय विद्यालय / Kendriya Vidyalaya
बैरागढ़ भोपाल / Bairagarh Bhopal
पिन - ४६२०३९ / PIN-462031



केन्द्रीय विद्यालय ३ ई. एम. ई सेंटर बैरागढ़. (भोपाल)

KENDRIYA VIDYALAYA 3 EME CENTRE BAIRAGARH (BHOPAL)

पिनकोड PIN CODE - 462030

☎ 0755 - 2640347

Affiliation No. -1000010

School Code - 54072

Web Site: www.bairagarh.kvs.ac.in E-mail: principalkvbrgh@gmail.com

फा. /केवि/बैरा/2021-22/

दिनांक:-25/06/2021

Self Certification

This is to certify that Kendriya Vidyalaya 3 EME Centre Bairagarh is functioning under affiliation to CBSE and under the instructions of KVS New Delhi.

B K Bachle

Principal

Kendriya Vidyalaya Bairagarh

प्राचार्य / Principal

केन्द्रीय विद्यालय / Kendriya Vidyalaya

बैरागढ़ भोपाल / Bairagarh Bhopal

पिन - ४६२०३९ / PIN - 462031



केन्द्रीय विद्यालय ३ ई. एम. ई सेंटर बैरागढ़. (भोपाल)

KENDRIYA VIDYALAYA 3 EME CENTRE BAIRAGARH (BHOPAL)

पिनकोड PIN CODE - 462030

☎ 0755 - 2640347

Affiliation No. -1000010

School Code - 54072


Web Site: www.bairagarh.kvs.ac.in E-mail: principalkvbrgh@gmail.com

फा./केवि/बैरा/2021-22/

दिनांक:-25/06/2021

Self Certification

This is to certify that Parents Teachers Association is functioning under Kendriya Vidyalaya 3 EME Centre Bairagarh.


B K Bachle

Principal

Kendriya Vidyalaya Bairagarh

प्राचार्य / Principal

केन्द्रीय विद्यालय / Kendriya Vidyalaya

बैरागढ़ भोपाल / Bairagarh Bhopal

पिन - ४६२०३१ / PIN-462031

GENERATE LETTER REGULARIZE GOVERNMENT SCHOOLS	
Application ID :	GE01202021101008
Affiliation Number :	1000010
GENERATE LETTER PRINT RESET	



केन्द्रीय माध्यमिक शिक्षण बोर्ड
CENTRAL BOARD OF SECONDARY EDUCATION

(AFFILIATION BRANCH)

No.CBSE/AFF./Govt. Wing/1000010 /2019

Date:-
21/01/2019

KENDRIYA VIDYALAYA
3 EME CENTRE BAIRAGARH BHOPAL MADHYA PRADESH, 462031

Subject : Acknowledgement of Annual Fee - regarding

Sir/Madam

1. With reference to the subject given above it is to acknowledge the receipt of an amount of Rs. 15000/- as annual fee in respect of your school.
2. The Board's annual fee was Rs. 1500/- till 31/03/2012. The annual fee was revised from Rs. 1500/- to 3000/- per annum w.e.f. 01.04.2012. The annual fee was further revised from Rs.3000/- to Rs.5000/- per annum as per Circular No. Affiliation - 01/2018 w.e.f. 01/04/2018 onwards.

The details of fee and sessions for which the annual fee has been received are given below:

Session	Total Annual Fee
01/04/ to 31/03/2012 (@ 1500/- per annum)	0
01/04/2014 to 31/03/2015 (@ 3000/- per annum)	15000
01/04/2019 to 31/03/2022 (@ 5000/- per annum)	15000
TOTAL	15000

3. No separate letter for extension of affiliation will be issued to the schools granted regular affiliation.
4. Further, in future the School shall only apply online for Extension of Affiliation through link provided on Board website www.cbseaff.nic.in under the Government Schools Corner. No offline application for Extension of Affiliation or Annual Fee will be accepted by the Board in future.

Copy to the Regional Officer, Ajmer for record please.

DEPUTY SECRETARY(AFFILIATION)

(Signature)
Principal
Kendriya Vidyalaya
Bairagarh Bhopal
PIN: 462031

DEPUTY SECRETARY(AFFILIATION)

for office record
ave
21/1/19



कार्यालय अधिशासी अमियन्ता

यूपीसीडीको स्टेट कान्स्ट्रक्शन एण्ड इन्फ्रास्ट्रक्चर डेवलेपमेन्ट कार्पोरेशन लि०
(पूर्ववर्ती : उत्तर प्रदेश समाज कल्याण निर्माण निगम लि०)

(उ.प्र.शासन का प्रतिष्ठान)

महात्मा गांधी अंतरराष्ट्रीय हिंदी विश्वविद्यालय परिसर पर्या (महाराष्ट्र) -442005

GSI No. 2/AAACU1932L1ZR

पंजीकृत कार्यालय : टी०सी०/46-V, विभूति खण्ड, गोमती नगर, लखनऊ।

पत्रांक : 34 /1-2(148)/Bhopal/2021-22

दिनांक : 24/06/2021

To,

The Principal,
K.V. Bairagarh,
Bhopal, (M.P.)

Sub :- Safety Certificate of School Building

Ref :- Letter No-फा० 16 /केवि-बैरागढ / 2021-22 / 41 दिनांक : 03.06.2021

With reference to the subject and reference cited above letter the School Building of K.V. Bairagarh, Bhopal (M.P.) has been inspected and found structurally safe.

This Certificate is Valid for one year from the Date of issue.

Thanking you

Yours faithfully

Executive. Engineer

UPSIDCO, Wardha
Executive Engineer
P. State Construction & Infrastructure
Development Corporation Ltd.
Wardha - (M.S.)



Office Of THE MUNICIPAL CORPORATION
BHOPAL Division , BHOPAL
Madhya Pradesh

अग्नि शमन प्रकोष्ठ
Fire Cell

अनापत्ति प्रमाण पत्र
No Objection Certificate

जावक क्रमांक / Dispatch Number : 6100001403/FNOC/COL/2021/0164
आवेदन की तिथि / Application Date : Jun 13, 2021 जावक की तिथि / Dispatch Date : 28-Jun-21
आवेदक का नाम / Applicant Name : KENDRIYA VIDYALAYA BAIRAGARH

आवेदक का पता / Applicant Address : BAIRAGARH 3 EME CENTRE CANTT AREA SANT HIRDARAM
NAGAR BHOPAL 462031
अनापत्ति प्रमाण पत्र का प्रकार / Type of NOC : PROVISIONAL
अधिभोग का प्रकार / Type of Occupancy : Educational Building/ शैक्षणिक भवन
ईमारत का ऊंचाई / Building Height : 7 (मीटर में / Meter)
भूमि / भवन का क्षेत्रफल / Plot / Building Area: 35520 (Sq.Mtr)
संपत्ति का पता / Property Address : KENDRIYA VIDYALAYA BAIRAGARH 3 EME CENTRE , SANT
HIRDARAM NAGAR , CANTT AREA BHOPAL BHOPAL NAGAR
अग्नि प्राधिकारी द्वारा अनुमोदित / Approved by Fire Authority :

विषय/Subject- रजिस्ट्रेशन नंबर :- 6100001403 भवन हेतु प्रोविजनल फायर अनापत्ति प्रमाण पत्र प्रदाय करने के संबंध में।

टिप्पणि / Remarks-

प्रति

KENDRIYA VIDYALAYA BAIRAGARH
BAIRAGARH 3 EME CENTER CANTT AREA
SANT HIRDARAM NAGAR BHOPAL

विषय:-

KENDRIYA VIDYALAYA BAIRAGARH, BAIRAGARH 3 EME CENTER CANTT AREA
SANT HIRDARAM NAGAR BHOPAL द्वारा KENDRIYA VIDYALAYA BAIRAGARH,
BAIRAGARH 3 EME CENTER CANTT AREA SANT HIRDARAM NAGAR BHOPAL
भवन बिल्डिंग हेतु प्रोविजनल फायर अनापत्ति प्रमाण पत्र प्रदाय करने के संबंध में।

विषयांतर्गत KENDRIYA VIDYALAYA BAIRAGARH, BAIRAGARH 3 EME CENTER CANTT AREA SANT HIRDARAM
NAGAR BHOPAL द्वारा KENDRIYA VIDYALAYA BAIRAGARH, BAIRAGARH 3 EME CENTER CANTT AREA SANT
HIRDARAM NAGAR BHOPAL भवन बिल्डिंग के 35520 वर्गफिट निर्मित क्षेत्रफल एवं 8 मी. उंचे शैक्षणिक भवन हेतु आवेदन प्राप्त हुआ है।
आवेदन के साथ आवेदित भवन/बहुमंजिला भवन का फायर प्लान सक्षम फायर कंसल्टेन्ट से तैयार (हस्ताक्षर सहित) प्रस्तुत किया गया है तथा
अग्नि सुरक्षा संबंधी निर्धारित 53 बिन्दुओं की जानकारी भी आर्किटेक्ट/इन्जीनियर के हस्ताक्षर सहित प्रस्तुत की गई है।



Municipal Corporation Bhopal

Citizen Copy

Cash Receipt
FIRE BRIGADE

Receipt No : 132100004445

Receipt Date :

Jun 21, 2021

Zone No	0999	Ward No	0999
Name	kendra vidyalaya Balragarh		
Father/Husband Name	OWNER Mr. Bharat kumar Bachle (principal)		
Address	Balragarh, 3 E.M.E center sant hirdaram nagar		
Description	FIRE NOC AREA35520 SQFT REQ NO.6100001403		

Particulars	Description	Amount
FIRE NOC FEES	FIRE NOC AREA35520 SQFT REQ NO.6100001403	10,656.00
Grand Total		10,656.00

Amount in Words

TEN THOUSAND SIX HUNDRED FIFTY SIX Rupees only

Authorised Signatory

21/6/21

पराशय 1

Appendix-1 A

CERTIFICATE OF REGISTRATION UNDER SOCIETIES REGISTRATION ACT XXI OF 1960 (PUNJAB AMENDMENT) ACT 1957 AS EXTENDED TO THE UNION TERRITORY OF DELHI.

No. S.2884 of 1965 -1966 .

I hereby certify that *CENTRAL SCHOOLS ORGANIZATION*

has this day been registered under the Societies Registration Act XXI of 1960 (Punjab Amendment) Act 1957, as extended to the Union Territory of Delhi.

Given under my hand at DELHI

this 15th day of DECEMBER

One thousand nine hundred and SIXTY FIVE.

Fee Rs. 50.00 paid.



(SUNENDRA KISHORE) REGISTRAR OF SOCIETIES DELHI. 15/12

DHINGRA

No.S/2884/1670

Dated 15-12-1965

From The Registrar of Societies, Old Secretariat, Delhi.

To Shri S.N. Dutt, Under Secy., Central School Units, Room No.36, N-Block, Ministry of Education, N.Delhi.

Reg: *CENTRAL SCHOOLS ORGANIZATION*

Dear Sir,

I am enclosing herewith the certificate of registration of your society named above. Please acknowledge receipt.

Acknowledged. 15/12

Encl: One Certificate.

Yours faithfully, (SUNENDRA KISHORE) REGISTRAR OF SOCIETIES DELHI. 15/12

DHINGRA

State Research Laboratory, (SRL) Format No. SRL/PHED/BPL/4.1
 Public Health Engineering Department, P.H.E.D.
 Shyamla Hills, Bhopal, 462002, Email-labbpl @ mp. nic. in, Phone-0755-4934796

Test Report

Nature of sample - Drinking Water Sample / Others		Not sampled by State Research Lab		Unique Identification No.		FR		
To, Principle Kendriya Vidhyalaya Balragarh, Bhopal	Sender's letter no.		-		Sender's letter Date		03/06/2021	
	SRL Ref. No		208		SRL receipt date		03/06/2021	
	Date of analysis started		03/06/2021		Date of analysis completed		07/06/2021	
	Quantity Of sample		ok					

Sample details

No.	Particulars of Samples
1	Tap Water Sample

No.	Characteristics/ Unit	test methods	BIS -10500:2012 Reaffirmed in Sep. 2018		Results				
			Desirable Limit	Permissible Limit	1	2	3	4	
			5	6					
1	Temperature in degree C	-	-	-	25.0				
2	Colour in Hazen scale	-	5	15	-				
3	Odour	-	Objectionable	Unobjectionable	-				
4	Iron as Fe * mg/l	APHA 23 rd edition, 3500-Fe B	1.0	1.0	0.34				
5	Nitrate as NO ₃ * mg/l	APHA 23 rd edition, 4500 NO ₃ -B	45	45	5.238				
6	Fluoride as F * mg/l	APHA 23 rd edition, 4500-F-C	1.0	1.5	0.18				
7	Chloride as Cl * mg/l	APHA 23 rd edition, 4500 Cl-B	250	1000	39.46				
8	Total Alkalinity as CaCO ₃ * mg/l	APHA 23 rd edition, 2320 B	200	600	272.0				
9	Calcium as Ca++ * mg/l	APHA 23 rd edition, 3500 Ca-B	75	200	86.4				
10	Magnesium as Mg++ * mg/l	APHA 23 rd edition, 3500 Mg-	30	100	28.32				
11	Sulphate as SO ₄ * mg/l	BIS:3025 (Part -24)	200	400	25.35				
12	pH * pH scale	APHA 23 rd edition 4500-H + B	6.5 to 8.5	6.5 to 8.5	7.452				
13	Turbidity in * NTU	APHA 23 rd edition, 2130 B	1.0	5.0	1.0				
14	Total hardness as CaCO ₃ * mg/l	APHA 23 rd edition, 2340 C	200	600	334.0				
15	Conductivity at 25°C *micromhos /cm	APHA 23 rd edition, 2510 B	-	-	680				
16	TDS By meter mg/l	APHA 23 rd edition, 2510 B	500	2000	402				
17	Manganese as *Mg/l	Mn APHA 23 rd edition 3500-mn-B	0.1	0.3	0.0				
18	Phenolphthalein Alkalinity as CaCO ₃ mg/l	APHA 23 rd edition, 2320 B	-	-	-				
19	Sodium as Na mg/l	APHA 23 rd edition, 3500 -Na B	-	-	-				
20	Potassium as K mg/l	APHA 23 rd edition, 3500 -K B	-	-	-				
21	ARSENIC By kit mg/l	-	0.01	0.01	-				
22	Faecal Coliform (TTC) per 100 ml	APHA 23 rd edition, 9211 B	NIL		660				
23	Total coliform per 100 ml	APHA 23 rd edition, 9211 B	NIL for treated water and water in distribution system		-				
24	Dissolved Oxygen mg/l				-				
25	Chemical Oxygen Demand (COD)mg/l	WHO	10mg/l	10mg/l	-				
26	Biological Oxygen Demand (BOD) mg/l	WHO	06mg/l	06mg/l	-				
27	Jar Test for Alum & lime dosing fixation mg/l	-	-	-	-				
28	Purity of Alum	-	-	-	-				
29	Purity of Lime	-	-	-	-				
30	Purity of Bleaching	-	-	-	-				
31	Chlorine test Demand	-	-	-	-				

1. This report should not be produced partly or full without approval of signatory authority for legal purposes.
2. It is recommended that acceptable limit is to be implemented. Values in excess of those mentioned under "acceptable" render the water not suitable, but still may be tolerated in the absence of an alternative source but upto the limits indicated under the "permissible limit in the absence of alternate source" in column 4, above which the sources will have to be rejected.
3. The results refer only to tested samples and parameters tested
4. Samples will be stored for a period of 15 days from the date of issue of report.
5. This lab does not hold any responsibility for variation in results for samples kept on hold for want of clarification.
6. The tests marked with an * are accredited by NABL.

Chemist

Issue No. 257 /S.R.L/PHED/BPL /2021 Issue Date 7/6/21

Rekha Kadam
 (Rekha Kadam)
 Chief Chemist
 STATE RESEARCH LABORATORY
 P.H.E.D. DEPARTMENT BHOPAL
 B.H. Road, L. B. S. T. P.
 P.H. Eng. Dept. Bhopal